## Math 5: Music and Sound, 2010. Midterm

## 2 hours, 6 questions, 60 points total

Р	lease show	working.	Points per	question	is shown	to help	judge 1	time.	Useful	info o	n last	page.	Good	luck!
1.	[9 points	+ bonus]												

(a) Find the frequency of D7 in the equal-tempered system.

(b) When you press "1" on a land-line phone you hear two pure tones at 1209 Hz and 697 Hz. Convert this into a musical interval in semitones and state between which Western intervals it lies.

(c) Jeff Zeigler, the cellist of the Kronos Quartet, explained that if he tunes the top A string of his cello to A3 (220Hz), then the D string a Pythagorean perfect fifth below that, the G string the same fifth below that, and the C string the same fifth below that, then this last string ends up being out of tune with an equal-tempered piano playing the same C note (e.g. when playing chamber music together). Compute how far, in cents, and is the cello sharp or flat?


ded that an octave sounds more out of tune than
es out 100 W of acoustic power with a pure tone ace 100 m from this speaker. How many decibels a all directions.)
a of your ear? (take this area as $0.0005 \text{ m}^2$ , and
the decibels change relative to part (a)? [Hint: art (a)]

(d)	A second loudspeaker is added a distance 1 m behind the first (i.e. further from you), driven with exactly the same 170 Hz signal. Use travel times to compute the phase difference between the pure tones arriving at your location from each speaker.
(e)	A pure tone at a new frequency is sounded at which the phase difference in part (d) becomes $\pi/2$ . If the amplitude at your location due to the first speaker alone is 2, and due to the other speaker alone is 1, compute the amplitude at your location when both speakers are on.
BONUS:	Say the amplitude from these two speakers is adjusted to be equal where you are standing. How do you think the effect you deduced in part (d) will change the <i>spectrum</i> of any music played through this system?
3. [11 <sub>]</sub>	points] A police car siren produces a note (you may assume pure tone) with frequency 500 Hz.
(a)	You are stationary. How fast, and in which direction (towards or away) does the car have to drive for you to hear a frequency of $400~\mathrm{Hz}$ ?


(b)	Describe the only situation (moving car or moving observer) and the relevant speed for which this siren could be observed as a <i>zero</i> frequency signal? (In reality your ear won't hear it below 20 Hz, as you know; ignore this)
(c)	A typical person cannot distinguish pitch differences of less than 10 cents. What is the minimum speed the car needs travel at to create this pitch increase relative to a siren at rest?
(d)	Given the situation of part (c) (observer hearing pitch of siren on a moving car 10 cents above 500 Hz), another stationary police car also puts on their siren at 500 Hz. What will you hear? (Give all new resulting frequencies of phenomena perceived)

		Draw a space-time diagram showing why a flutter echo is heard by a listener standing exactly $half$ way between two walls separated by distance $L$ , when they produce a short sound such as a clap. Label the axes, the walls, and any sound pulse(s):
		What period of signal is heard if the spacing between the walls is $L=34$ meters? [Hint: argue using your diagram, and take care]
ON	US:	A friend stands 3 meters from one of the walls and listens. Sketch the signal that they would hear

- 5. [9 points] Sketch spectrograms on the axes provided which could realistically match the following descriptions. Feel free to explain any features in words too:
  - (a) A hissing sound, followed by struck bell of no definite pitch.



(b) A string instrument playing a single note with heavy vibrato (time-dependent variation in frequency), followed by a voice singing a single note while changing from a harsh to a mellow timbre (without changing amplitude)



(c) Say you wanted to use a spectrogram to capture events rapidly changing in time, thus choose a short time window of 0.01 sec, then what (if any) restrictions does this place on the accuracy with which you could resolve (distinguish) frequencies?

6.	[11 p	points; note 4 are for part (a) alone] Periodic and other signals.
	(a)	Place a check mark beside whichever of the following are true (could be all, some, or none):
		• Any periodic signal of period $1/f$ can be written $a_1 \cos 2\pi f + a_2 \cos 4\pi f + \dots$
		• Any periodic signal of period $1/f$ can be written $a_1 \sin(2\pi f + \phi_1) + a_2 \sin(4\pi f + \phi_2) + \dots$
		• A signal $g$ for which $g(t+T)=g(t)$ for all $t$ must have period $T$
		• Any signal containing only partials at $f, 2f, 3f, \ldots$ must be periodic with period $1/f$
	(b)	If one signal with period $0.006$ s is played on top of (added to) another signal with period $0.008$ s, what is the period of the resulting signal?
	(c)	Explain the difference between timbre and amplitude. (Be as precise as possible; you may, and probably should, refer to other concepts from the course.)
	(d)	Describe roughly what the signal $g(t) = (\operatorname{frac} t) \sin 1000\pi t$ will sound like (t is time in seconds), where frac t means the fractional part of t. [Hint: a sketch may help, and could earn credit]

## Useful information

$$\omega = 2\pi f$$

$$c = f\lambda$$

$$dB = 10 \log_{10} \frac{I}{10^{-12} W/m^2}$$


$$\frac{f_{obs}}{f} = \frac{1}{1 - v/c} \quad \text{or} \quad 1 + v/c$$

$$\sin(a+b) = \sin a \cos b + \cos a \sin b$$

$$\sin a + \sin b = 2\cos(\frac{a-b}{2})\sin(\frac{a+b}{2})$$

Intervals by number of semitones:

- 1. minor second
- 2. whole tone (major second)
- 3. minor third
- 4. major third
- 5. perfect fourth
- 6. tritone (augmented fourth)
- 7. perfect fifth
- 8. minor sixth
- 9. major sixth
- 10. minor seventh
- 11. major seventh
- 12. octave



The standard musical pitch A4 is 440 Hz

You can use the speed of sound as 340 m/s.